IFW

● PRINTER RUSH ● (PTO ASSISTANCE)

Application : 09/535 3		CANELLA GAU: DC)FMF FDC Date:	1642	
Prom.		991/181/2 Week Da		
DOC CODE 1449 IDS CLM IIFW SRFW DRW OATH 312 SPEC	DOC DATE	MISCELLANEOUS Continuing Data Foreign Priority Document Legibility Fees Other		
(BUSH) MESSAGE: A 35 U.S.C. 119(a)-(d) TORE 19N PRINRITY CLAIM CANNOT be based on a U.S. Application Please make all necessary Correct; ons to file marger topect fications. Ser mer 1093, 03(c) Priority under 35 U.S.C. 120," THANK JOA				
[XRUSH] RESPONSE: A PCT application can be used as a foreign printing document. Please see the attacked examples of recently issued patents: US 6,884,771, US 6,887,974, US 6,855,559, US 6,800,604, US 6,790,624. INITIALS: NAC-				

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04



US006884771B1

(12) United States Patent

Acton et al.

(10) Patent No.:

US 6,884,771 B1

(45) Date of Patent:

Apr. 26, 2005

(54) ANGIOTENSIN CONVERTING ENZYME HOMOLOG AND USES THEREFOR

(75) Inventors: Susan Acton, Lexington, MA (US); Keith E. Robison, Wilmington, MA

(US); Frank Y. Hsieh, Lexington, MA

(US)

(73) Assignee: Millennium Pharmaceuticals, Inc.,

Cambridge, MA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 472 days.

(21) Appl. No.: 09/635,501

(22) Filed: Aug. 9, 2000

Related U.S. Application Data

(63) Continuation-in-part of application No. 09/407,427, filed on Sep. 29, 1999, which is a continuation-in-part of application No. 09/163,648, filed on Sep. 30, 1998, which is a continuation-in-part of application No. 08/989,299, filed on Dec. 11, 1907

(30) Foreign Application Priority Data

(WO)

Sep 20 1000

oop. 2>, 1>>>	(110) 1111111111111111111111111111111111
(51) Int. Cl. ⁷	A51K 38/00
(52) U.S. Cl.	514/2; 514/12; 530/350;

РСТ/П\$00/22076

536/23.5; 800/7

(56) References Cited

FOREIGN PATENT DOCUMENTS

EP 0 974 664 A2 1/2000 WO WO 00/18899 A2 A3 4/2000

OTHER PUBLICATIONS

DGENE Accession No. AAY 84562 for "A human angiotensin converting enzyme-2 (ACE-2) protein," Jul. 25, 2000.

DGENE Accession No. AAA12764 for "cDNA encoding a human angiotensin converting enzyme-2 (ACE-2)," Jul. 25, 2000

DGENE Accession No. AAY67310 for "Human MPROT15 amino acid sequence #1," Apr. 11, 2000.

DGENE Accession No. AAZ59465 for "Human MPROT15 coding sequence #1," Apr. 11, 2000.

EMBL Accession No. AF241254 for "Homo sapiens angiotensin converting enzyme-like protein mRNA, complete cds," Jul. 1, 2000.

SWALL Accession No. Q9NRA7 for "Angiotensin converting enzyme-like protein (ACE-related carboxypeptidase ACE2)", Oct. 1, 2000.

Bernstein, K. E. "Two ACEs and a heart," Nature Jun. 20, 2002; 417:799,801-802.

Donoghue, M. et al. "A novel angiotensin-converting enzyme-related carboxypeptidase (ACE2) converts angiotensin I to angiotensin 1-9," *Circulation Research* Sep. 1, 2000; 87(5):e1-e9.

Tipnis, S.R. et al. "A human homolog of angiotensin-converting enzyme. Cloning and functional expression as a captopril-insensitive carboxypeptidase," *Journal of Biological Chemistry* Oct. 27, 2000; 275(43):33238-33243.

Primary Examiner—Christopher R. Tate
Assistant Examiner—B. Dell Chism
(74) Attorney, Agent, or Firm—Millennium
Pharmaceuticals, Inc.

(57) ABSTRACT

The present invention relates to the discovery of novel genes encoding an angiotensin converting enzyme, Angiotensin Converting Enzyme-2 (ACE-2). The invention provides therapeutics, prognostic and diagnostics methods for treating blood pressure related disorders as well as various types of allergic conditions, among others. Also disclosed are screening assays for identifying compounds for treating and preventing these conditions.

25 Claims, 23 Drawing Sheets



(12) United States Patent

Pathak

4,670,417 A 4,735,616 A

4,874,368 A

4,902,281 A

4,932,942 A

4,937,270 A

4,938,763 A

4,978,336 A

5,024,742 A

5,030,215 A 5,041,292 A

5,104,909 A

5,116,315 A

5,143,662 A

5,162,430 A 5,192,743 A

(10) Patent No.:

US 6,887,974 B2

(45) Date of Patent:

May 3, 2005

(54)	CROSSLI OF USE	INKING AGENTS AND METHODS	5,3	96,518 A 04,595 A 18,524 A
(75)	Inventor:	Chandrashekhar P. Pathak, Austin, TX (US)	5,3 5,3	24,775 A 28,955 A 68,563 A 1
(73)	Assignee:	Incept LLC, Lexington, MA (US)	5,3 5,3	95,923 A 99,351 A
(*)	Notice:	Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 421 days.	5,4 5,4 5,4	05,607 A 10,016 A * 13,791 A 19,491 A 26,148 A
(21)	Appl. No.	: 10/068,807	5,4	46,090 A 46,091 A
(22)	Filed:	Feb. 5, 2002		55,027 A 1
(65)		Prior Publication Data	5,4	70,911 A 1 74,540 A 1
	US 2002/01	14775 A1 Aug. 22, 2002		75,052 A 1
	Rel	lated U.S. Application Data	5,5	76,909 A 1 05,704 A 14,379 A
(62)	Division of 1999.	application No. 09/147,897, filed on Aug. 30,	5,5	14,380 A 27,856 A
(60)	Provisional 1996, provi	application No. 60/026,526, filed on Sep. 23, sional application No. 60/039,904, filed on Mar. d provisional application No. 60/040,417, filed , 1997.	5,5 5,5	29,914 A 50,187 A 65,519 A 1 67,435 A 1
(30)	Forei	ign Application Priority Data		
Sep.	. 22, 1997	(WO) PCT/US97/16897		FOREIGN
(51)	Int. Cl.7.	C09F 15/00 ; C08G 63/48; C08G 63/08	EP WO WO	05571 WO 91/096 WO 94/031
(52)	U.S. Cl			
(58)		earch 530/200, 350,		ОТН
	530,	/380, 382; 525/54.1, 54.11, 54.2; 528/354, 361		4,374, 4/2001 et al., "Parer
(56)		References Cited	biodegra	adable polye 2 (1991).
	U.	S. PATENT DOCUMENTS	10.27	2 (1771).
	2,533,004 A 3,520,949 A 4,101,380 A 4,359,049 A 4,565,784 A 4,601,286 A 4,631,055 A 4,646,730 A	7/1970 Shepard et al	Assistar (74) Att	e Examiner—J at Examiner— torney, Agent, asen, P.A.
	4 470 417 A	6/1007 I		

6/1987 Iwasaki et al. 514/6

4/1988 Eibl et al. 604/191

10/1989 Miller et al. 604/82

2/1990 Avoy 604/191

6/1990 Maslanka 604/164

6/1990 Hamilton et al. 514/777

7/1990 Dunn et al. 604/891.1

7/1991 Morse et al. 604/410

8/1991 Feijen 424/484

4/1992 Grasel 521/159

5/1992 Capozzi et al. 604/82

9/1992 Chesterfield 264/8 11/1992 Rhee et al. 525/54.1

3/1993 Hsu et al. 514/8

5,296,518	Α	3/1994	Grasel 521/176
5,304,595	Α	4/1994	Rhee et al 525/54.1
5,318,524	Α	6/1994	Morse et al 604/82
5,324,775	Α	6/1994	Rhee et al 525/54.2
5,328,955	Α	7/1994	Rhee et al 525/54.1
5,368,563	Α	11/1994	Lonneman et al 604/82
5,395,923	Α	3/1995	Bui-Khac et al 530/381
5,399,351	Α	3/1995	Leshchiner et al 424/422
5,405,607	Α	4/1995	Epstein 424/94.64
5,410,016	Α	 4/1995 	Hubbell et al 528/354
5,413,791	Α	5/1995	Rhee et al 424/422
5,419,491	Α	5/1995	Breitsprecher 239/9
5,426,148	Α	6/1995	Tucker 524/496
5,446,090	Α	8/1995	Harris 525/54.1
5,446,091	Α	8/1995	Rhee et al 525/54.1
5,455,027	Α	10/1995	Zalipsky et al.
5,470,911	Α	11/1995	Rhee et al 525/54.1
5,474,540	Α	12/1995	Miller et al 604/191
5,475,052	Α	12/1995	Rhee et al 525/54.1
5,476,909	Α	12/1995	Kim et al 525/408
5,505,704	Α	4/1996	Pawelka et al 604/191
5,514,379	A	5/1996	Weissleder et al 424/426
5,514,380		5/1996	Song et al 424/426
5,527,856	Α	6/1996	Rhee et al 525/54.1
5,529,914		6/1996	Hubbell et al 435/182
5,550,187		8/1996	Rhee et al 525/54.1
5,565,519		10/1996	Rhee et al 525/54.1
5,567,435	Α	10/1996	Hubbell et al 424/426

(Continued)

N PATENT DOCUMENTS

EP	0557199	8/1993
wo	WO 91/09641	7/1991
wo	WO 94/03155	2/1994

(Continued)

HER PUBLICATIONS

1, Schmirler et al. (withdrawn) nteral depot-systems on the basis of esters", J of Controlled Release

(Continued)

Jon Weber Abdel A. Mohamed or Firm-Patterson, Thuente, Skaar &

ABSTRACT

Polymeric crosslinking agents are disclosed that have an inert water soluble polymeric component, biodegradable components, functional components reactive with chemical groups on a protein, for example, amine or thiol groups. The inert polymeric component may be flanked at each end with a biodegradable component which is flanked at each end with a protein reactive functional component. A polymeric crosslinking agent is disclosed having a biodegradable component, polyalkylene oxide, and at least three reactive functional groups that are each capable of forming a covalent bond in water with at least one functional group such as an amine, thiol, or carboxylic acid.

25 Claims, 7 Drawing Sheets



US006855559B1

(12) United States Patent

Christensen et al.

(10) Patent No.:

US 6,855,559 B1

(45) Date of Patent:

Feb. 15, 2005

(54) REMOVAL OF EMBEDDING MEDIA FROM BIOLOGICAL SAMPLES AND CELL CONDITIONING ON AUTOMATED STAINING INSTRUMENTS

(75)	Inventors:	Kimberly Christensen, Tucson, AZ
		(US); Ethel R. Macrea, Tucson, AZ
		(US); Noemi Sebastiao, Tucson, AZ
		(US)

(73) Assignee: Ventana Medical Systems, Inc., Tucson, AZ (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 81 days.

(21) Appl. No.: 09/721,096

(22) Filed: Nov. 22, 2000

Related U.S. Application Data

(60) Provisional application No. 60/099,018, filed on Sep. 3, 1998.

(30) Foreign Application Priority Data

		(WO)
(51) I	nt. Cl. ⁷	G01N 1/18

(56) References Cited

U.S. PATENT DOCUMENTS

4,043,292 A	8/1977	Rogers et al.
4,384,193 A	5/1983	Kledzik et al.
4,543,236 A	9/1985	von Gise
4,629,862 A	12/1986	Kitagawa et al
4,644,807 A	2/1987	Mar
4,746,491 A	5/1988	Ohlin
4,858,155 A	8/1989	Okawa et al.
4,865,986 A	9/1989	Coy et al.
		-

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

CA	1059744 A	* 8/1979	•••••	C09K/7/02
CN	1279273	1/2001		
EP	0508568	10/1992		
wo	WO 93/09486	5/1993		
wo	WO 94/04906	3/1994		
wo	9524498	9/1995		
wo	0188500	11/2001		÷

OTHER PUBLICATIONS

Protocol "Ziehl-Neelsen stain fr AFB" http://medlib.med.u-tah.edu/WebPath/HISTHTML/MANUALS/ZIEHL.PDF, Aug. 03, 1999.*

(List continued on next page.)

Primary Examiner—Yelena G. Gakh (74) Attorney, Agent, or Firm—McDonnell Boehnen Hulbert & Berghoff LLP

(57) ABSTRACT

The present invention provides reagents for use in an automated environment for removing or etching embedding media by exposing a biological sample to be stained in histochemical or cytochemical procedures without the dependence on organic solvents. The reagents comprise components optimized to facilitate removal or etching of the embedding media from the biological sample. The present invention also provides reagents for use in an automated environment for cell conditioning biological samples wherein the cells are predisposed for access by reagent molecules for histochemical and cytochemical staining procedures. The reagents comprise components optimized to facilitate molecular access to cells and cell constituents within the biological sample.

16 Claims, 8 Drawing Sheets





US006800604B2

(12) United States Patent

Gurney et al.

(10) Patent No.:

US 6,800,604 B2

(45) Date of Patent:

Oct. 5, 2004

(54) POLYPEPTIDES THAT INHIBIT HUMAN SERUM-INDUCED CLEAVAGE OF HEPATOCYTE GROWTH FACTOR

(75) Inventors: Austin L. Gurney, Belmont, CA (US);
Daniel K. Kirchhofer, Los Altos, CA
(US); William I. Wood, Hillsborough,

CA (US)

(73) Assignee: Genentech, Inc., South San Francisco,

CA (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35 U.S.C. 154(b) by 105 days.

(21) Appl. No.: 09/742,201

(22) Filed: Dec. 19, 2000

(65) Prior Publication Data

US 2002/0123091 A1 Sep. 5, 2002

Related U.S. Application Data

(60) Provisional application No. 60/253,665, filed on Nov. 28, 2000.

(30) Foreign Application Priority Data

Feb. 11, 2000	(WO)	PCT/US00/03565
Mar. 15, 2000	(WO)	PCT/US00/06884

(51) Int. Cl.⁷ C07K 14/00; A61K 38/00

(52) **U.S. Cl.** **514/2**; 530/300; 530/350; 514/12; 424/85.1; 424/198.1

198 1

(56) References Cited

U.S. PATENT DOCUMENTS

4,736,866 A	4/1988	Leder et al.
4,873,191 A	10/1989	Wagner et al.
5,573,762 A	11/1996	Ferrara et al.
5,610,134 A	3/1997	Clark et al.
5,624,806 A		Baker et al.
5,650,282 A	7/1997	Keating et al.
5,661,122 A	8/1997	Clark et al.
5,773,223 A	6/1998	Shyamala et al.
5,773,414 A	6/1998	,
5,935,924 A	8/1999	Bunting et al.

FOREIGN PATENT DOCUMENTS

EP	0 759 467 A	2/1997
wo	97/12629	4/1997
wo	01/05972 A1	1/2001

OTHER PUBLICATIONS

Falkenberg et al. Expression of a functional proteinase inhibitor capable of accepting xylose: bikunin. Arch Biochem Biophys 387(1):99–106, 2001.*

Kataoka et al. Hepatocyte growth factor activator inhibitor type 1 is a specific cell surface binding protein of hepatocyte growth factor activator (HGFA) and regulates HGFA activity in the pericellular microenvironment. J Biol Chem 275(51):40453-40462,2000.*

Hamasuna et al. Reduced expression of hepatocyte growth factor activator inhibitor type-2/placental bikunin (HAI-2/PB) in human glioblastomas: implication for anti-invasive role of HAI-2/PB in glioblastoma cells. Int J Cancer 93: 339-3435, 2001.*

Adamis et al., "Inhibition of Vascular Endothelial Growth Factor Prevents Retinal Ischemia-Associated Iris Neovascularization in a Nonhuman Primate" Arch. Opthalmology 114(1):66-71 (1996).

Aiello et al., "Vascular endothelial growth factor in ocular fluid of patients with diabetic retinopathy and other retinal disorders" New England J. of Medicine 331(22):1480–1487 (1994).

Berkman et al., "Expression of the vascular permeability factor/vascular endothelial growth factor gene in central nervous system neoplasms" *J. Clin. Invest.* 91(1):153–159 (1993).

Betocchi et al., "Effects of Diltiazem on left ventricular systolic and diastolic function in hypertrophic cardiomyopathy" Am. J. Cardiol. 78:451–457 (1996).

Boznak, M. Can. J. Biochem. Physiol. 33:985-994 (1955). Bonow et al., "Verapamil-induced improvement in left ventricular diastolic filling and increased exercise tolerance in patients with hypertrophic cardiomyopathy: short- and long-term effects" Circulation 72:853-864 (1985).

Borgstrom et al., "Complete inhibition of angiogenesis and growth of microtumors by anti-vascular endothelial growth factor neutralizing antibody: novel concepts of angiostatic therapy from intravital videomicroscopy" *Cancer Research* 56(17):4032–4039 (1996).

(List continued on next page.)

Primary Examiner—Elizabeth Kemmerer Assistant Examiner—Bridget E. Bunner (74) Attorney, Agent, or Firm—Paul Naik; Craig Svoboda

(57) ABSTRACT

Compositions and methods are disclosed for stimulating or inhibiting angiogenesis and/or cardiovascularization in mammals, including humans. Pharmaceutical compositions are based on polypeptides or antagonists thereto that have been identified for one or more of these uses. Disorders that can be diagnosed, prevented, or treated by the compositions herein include trauma such as wounds, various cancers, and disorders of the vessels including atherosclerosis and cardiac hypertrophy. In addition, the present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cell comprising those nucleic acid sequences, chimerie polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

27 Claims, 5 Drawing Sheets



JS006790624B2

(12) United States Patent Mayer

(10) Patent No.:

US 6,790,624 B2

(45) Date of Patent:

Sep. 14, 2004

(54) COILED-COIL MEDIATED HETERODIMERIZATION FUNCTIONAL INTERACTION TRAP

(75) Inventor: Bruce J. Mayer, Tolland, CT (US)

(73) Assignee: The University of Connecticut, Farmington, CT (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 238 days.

(21) Appl. No.: 09/816,756

(22) Filed: Mar. 24, 2001

(65) Prior Publication Data

US 2002/0037999 A1 Mar. 28, 2002

Related U.S. Application Data

(60) Provisional application No. 60/141,896, filed on Jun. 30, 1999.

(30) Foreign Application Priority Data

Jun.	29, 2000	(WO) PCT/US00/17929
(51)	Int. Cl.7	G01N 33/53
(52)	U.S. Cl.	
		435/4: 530/350: 536/23.4

(56) References Cited

6,270,964 B1 * 8/2001 Michnick et al. 435/6

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS

WO WO 00/07038 2/2000 WO WO 01/00866 1/2001

OTHER PUBLICATIONS

Tripet et al, Protein Engineering, 9, (11), 1029-1042

H. Hurst, Transcription Factors 1: bZIP Proteins, Protein Profile, 1995, vol. 2, Issue 2, pp. 105-168.

M. Tanaka, et al., Differential Inhibition of Signaling Pathways by Dominant-Negative SH2/SH3 Adapter Proteins, Molecular and Cellular Biology, Dec. 1995, vol. 15, No. 12, pp. 6829-6837.

 \overline{R} . Hodges, De Novo Design of α -helical Proteins: Basic Research to Medical Applications, Biochemistry and Cell Biology, 1996, vol. 74, No. 2, pp. 133–154.

Y. Mizukami, et al., Plant Organ Size Control: AINTEGU-MENTA Regulates Growth and Cell Numbers During Organogenesis, PNAS, Jan. 18, 2000, vol. 97, No. 2, pp. 942–947. K. Arndt, et al., Heterodimeric Coiled-Coil Peptide Pair Selected in Vivo From A Designed Library-Versus-Library Ensemble, Journal of Molecular Biology, 2000, vol. 295, pp. 627-639.

2 Hybrid System TRAFO Protocol, http://www.umanitoba, ca/faculties/medicine/biochem/gietz/2HS.html.

Mammalian Two-Hybrid Assay Kit, http://www.stratagene.com/vectors/signal_trans/mam2hyb.htm.

Display Green Two-Hybrid Kit System, http://www.displaysystems.com/Prod...displaygreen_two-hybrid_kit_sy.htm.

A livanainen, Coiled-Coil Motif in Proteins, http://www.wrpi.edu/dept/chem-eng/Biotech-Enviorn/Ryan/cc.html.

Coiled-Coil Motifs are Formed, http://bmbiris.bm-b.uga.edu/wampler/8010/lectures/motifs/sld018.htm

Coiled Coil; http://www-class.unl.edu/bios201/chapter2cWEB/sid024.htm.

Some Common Protein Motifs; http://bioag.byu.edu/mcbio/130/proteinfunction/sid018.html.

The Structure of a Coiled Coil; http://bioag.byu.edu/mcbio/130/proteinfunction/sld019.html.

Coiled—Coil Structures; http://www.microbio.uab.edu/Seq-Course/08_Protein/sld043.html.

PPT Slide; http://www.microbio.uab.edu/SeqCourse/08_Protein/sld045.html.

New Twists in Globs and Zippers; http://www.psc.edu/science/Brooks96/brooks96/html, pp. 1-3.

Predition of Coiled Coils from Protein Sequences; http://www.york.ac.uk/depts/biol/units/coils/coilcoil.html.

Structural Classification of Proteins, Class: Coiled Coil Proteins; http://www.edu.au/scop/data/scop.1.008.html.

GAL4 (Residues 1-65); ftp://www.expasy.ch/databases/swiss-3dimage/IMAGES/JPEG/1D66_gal4_1.jpg.

Motifs; http://mytilene.ucdavis.edu/~smith . . ir/Protein_ Structure_II/sld017.html; Slides 2, and 17-29.

Posttranslational Modifications; http://mytilene.uc-davis.edu/-smith...r/Protein_Structure_III/sld001.html; Slides 1-6, 10 and 26.

Influenza Virus Haemagglutinin, http://www.rpi.edu/dept/chem-eng/Biotech-Enviorn/Ryan/cc.html, pp. 4-5.

* cited by examiner

Primary Examiner—T. D. Wessendorf (74) Attorney, Agent, or Firm—McCarter & English LLP

57) ABSTRACT

Fusion proteins containing coiled-coil heterodimerization domains substituted for modular protein binding domains useful for validating functionally relevant protein-protein interactions, directing enzymes to specific substrates, and screening fusion libraries for functionally important interaction partners.

2 Claims, 3 Drawing Sheets